

Sedum Matting

10 varieties of sedum specifically designed for green roofs. Sedum Mat is a pre-grown vegetation mat specifically designed for green roofs. It is sown with an exceptional blend of 10 varieties of sedum plants to provide extended interest and colour throughout the lowering period.

Growing in a strong felt, Sedum Mats are supplied as a pre-grown instant vegetation layer.

The sedum is provided in slabs that are lightweight and easy to install. We provide rapid delivery of fresh product from our field to your roof. This means very little stress on your plants resulting in better establishment.



Why Choose Sedum Matting?

Features: Sown with an attractive mix of 10 varieties of sedum with differing colours and leaf forms, low maintenance and extreme drought tolerance. The

sedum varieties included are suitable for various different weather conditions in order to give the best result. Growing in a strong felt, Sedum Mats are supplied as a pre-grown vegetation layer.

Benefits & Uses: Ideal for lightweight green roofs as sedums are drought tolerant and need only a shallow substrate layer. Also suited to situations that need low growing plants and for low maintenance green roofs. Freshly harvested from our nursery in Yorkshire, they are rapidly transported to your roof meaning the plants arrive in good condition and establish better.

Mixture: The 10 varieties of sedum offer a variety of colour and interest, as well as enhancing biodiversity. They also extend interest and colour throughout the lowering season. Sedum Mat contains the best varieties of sedums suitable for various weather conditions in order to give the best results. Colours can range from greens through to vibrant reds, oranges, purples and browns.

Mixture: Light hand weeding every couple of months throughout the year to keep the wind-blown weeds at bay. Deadheading the removing the flowers are the end of the flowering period is a must to encourage new growth for the following year.



Sedum Acre
Golden Carpet
6cm, yellow, mat-forming




Sedum Floriferum
Bailey's Gold
10cm, golden, evergreen,
crenate foliage



Sedum Kamtschaticum
10cm, small star shaped
flowers



Sedum Sexangulare
Tasteless Stonecrop
8cm, lemon yellow, dense
sweet smelling foliage




Sedum Spurium
Summer Glory
10cm, pink star shaped flowers



Sedum Album
White Stonecrop
10cm, white umbel panicles



Sedum Hybridum
Czars Gold
15cm, golden, rich flowering,
reddish stems, ever green carpet



Sedum Relexum
Crooked Yellow Stonecrop
30cm, yellow flowers with
grey leaves



Sedum Spurium
Coccineum Purple Carpe
15cm, dark pink flowers



Sedum Stoloniferum
Stolon Stonecrop
20cm, pink, star shaped flowers, red
stems

Sedum Matting

Product Reference	Sedum Matting
Planting Mix	10 variety sedum mix
Material	350gsm recycled matting with pre-netting
Thickness	25mm
Vegetation Coverage	80% (minimum)
Roll Size	0.84m x 1.2m or 1.2m x 1.0m dependant on batch
Saturated Weight	25kg per square metre
Maximum m² per Pallet	30 - 35 square metres dependant on weight
Delivery Options	Pallet delivery service for small orders. Rigid with optional tail lift off load facilities. Artic with optional moffet offload facilities. Rigid wagon with hiab offload facilities.

Extensive Growing Medium

Product Reference	Sedum Green Roof Substrate		
Material	A blend of lightweight aggregate and an award-winning Topsoil		
Depth	50mm (minimum) – 75mm (preferable)		
Saturated Weight	At 50mm settled depth = 50kg per square metre At 75mm settled depth = 75kg per square metre		
Bag Sizes	1m ³ tote bags 18L heat sealed bags Bulk loose		
Maximum Volume per Pallet	1m ³ as 1 x 1m ³ tote bag 1m ³ as 55 x 18L bags		
Delivery Options	Pallet delivery service for small orders. Rigid with optional tail lift off load facilities. Artic with optional moffet offload facilities. Rigid wagon with hiab offload facilities.		
Area Covered	Bag Size	Depth	m ² covered*
	1m ³ tote	50mm	19.00m ²
	1m ³ tote	75mm	12.50m ²
	18L	50mm	m ²
	18L	75mm	m ²
	*please allow for 5% settlement when ordering		

Drainage Layer

Product Reference	Roofdrain 20		
Material	Recycled High Density Polyethylene water reservoir core with moisture retentive protective fleece to underside and geotextile filter mat to upper side.		
Thickness	22mm		
Infill	Not required		
Roll Size	920mm x 50m (46 square metres per roll)		
Water Storage Capacity	6.5 litres per square metre		
Saturated Weight	7.5kg per square metre		
Maximum m² per Pallet	92 square metres (2 rolls)		
Delivery Options	Pallet delivery service for small orders. Rigid with optional tail lift off load facilities. Artic with optional moffet offload facilities. Rigid wagon with hiab offload facilities.		
Also Available	Product	Water Storage	Weight
	Roofdrain	13.0l/m ²	15kg/m ²