

# Product data sheet

## **MSW Comfort \***



Movable all-glass partition wall system for shop partitions and flexible room design

### **AREAS OF APPLICATION**

- Movable glass partitioning walls
- Internal and protected external area
- Can be used up to 4000 mm clear height
- Can be used up to 1500 mm element width
- Can be used for linear and segmented axis profiles

**PRODUCT FEATURES**

- Individually configurable product system consisting of different element types
- Classic and Pureline design lines with continuous horizontal profile offer maximum transparency
- Comfort locking mechanism integrated as standard
- SmartGuide technology integrated depending on selected stacking area
- Curve technology in the track system makes it easier to move the panels
- Optional with sliding swing door
- ESG and LSG can be used
- For element weights up to 150 kg and pane thicknesses up to 12.76 mm

**TECHNICAL DATA**

Productname	MSW Comfort *
Frameless	Yes
Indoor use	Yes
Outdoor use	Yes
Leaf height (max.)	4000 mm
Leaf width (min.)	700 mm
Leaf width (max.)	1500 mm
Leaf weight with single roller carriage (max.)	100 kg
Leaf weight with double roller carriage (max.)	150 kg
Stacking area layout	Parallel, 90°, Special stacking area
Stacking area distribution	one-sided, double-sided
Track geometry	straight, polygonal, bent continuously
Optional floor guide	Yes
Top and bottom sealing brushes	Yes

**ACCESSORIES****LSG GLASS / METAL GLUE \***

Glass metal glueing kit for connecting aluminium brackets with glass panes



## MSW Comfort \*



---

Designation	Description	Ident-No.
LSG glass / metal glue 50 g *	For up to 30 elements	133039

---

\* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.